

COMPANY INTRODUCTION






MIT -IVY Industry Co., Ltd. is a leading manufacturer and trader of chemical for 16 years which has established its own 4 factories with complete production equipment and meticulous management and maintenance of machinery. We use advanced production technology and test methods to realize production, quality controlling to meet the standard. We have been approved by SGS, ISO9001, ISO140 01, GB/HS16949 and T28001.



OFFICE







LABORATORY












FACTORY AND WAREHOUSE













- 1) Beta naphthol 135-19-3
- 2) Bon acid 92-70-6
- 3) 2,5-Dichlorotoluene 19398-61-9
- 4) 2, 3-Dichlorobenzaldehyde 6334-18-5
- 5) 2', 4'-Dichloroacetophenone 2234-16-4
- 6) 2, 4-dichlorotoluene 95-73-8
- 7) 2, 4-Dichlorobenzyl alcohol 1777-82-8
- 8) 3, 4'-Dichlorodiphenyl ether 6842-62-2
- 9) 1,3-Dichlorobenzene MDCB 541-73-1
- 10) 1-[2-Chloro-4-(4-chlorophenoxy)phenyl]ethan-1-one 119851-28-4
- 11) p-Toluidine PT 106-49-0
- 12) o-Toluidine OT 95-53-4
- 13) m-Toluidine MT 108-44-1
- 14) o-Phenylenediamine 95-54-5
- 15) m-Phenylenediamine MPDA 108-45-2
- 16) 4-Dimethylaminobenzaldehyde 100-10-7
- 17) Auramine 0 2465-27-2
- 18) Crystal violet lactone CVL 1552-42-7

- 19) Methyl violet 8004-87-3
- 20) Basic Green 4 14426-28-9
- 21) N, N-Dihydroxyethylaniline PDEA 120-07-0
- 22) N-Ethyl-m-toluidine 102-27-2
- 23) 3-Methyl-N, N-diethyl aniline 91-67-8
- 24) 3-(N-ethylanilino) propiononitrile 148-87-8
- 25) N-Ethyl-N-hydroxyethylaniline 92-50-2
- 26) N-ethyl-N-phenylbenzenemethanamine 92-59-1
- 27) N-2-cyanoethyl-N-ethyl-m-toluidine 148-69-6
- 28) N-Benzyl-N-ethyl-m-toluidine 119-94-8
- 29) N, N-Diethyl aniline 91-66-7
- 30) N-Ethyl-o-toluidine 94-68-8
- 31) N-Ethylaniline 103-69-5
- 32) N, N-Dimethylaniline DMA 121-69-7
- 33) N-Methylaniline 100-61-8
- 34) 2-(N-methylanilino) ethanol 93-90-3
- 35) N, N-Dimethyl-p-toluidine 99-97-8
- 36) N, N-Dimethyl-o-toluidine 609-72-3


- 37 N, N-Dimethyl-o-toluidine
- 38 N, N-diethyl-m-toluamide DEET
- 39 N, N-Diethylhydroxylamine DEHA
- 40 N.N DIMETHYL FORMAMIDE DMF
- 41 1-Dimethylamino-2-propanol
- 42 NMP, N-Methyl-2-pyrrolidone
- 43 N, N-Dimethylformamide dimethyl acetal (DMF-DMA)
- 44 N-Vinyl Caprolactam NVC
- 45 N, N-Dimethylacetamide DMAC
- 46 Ethyl 3-(N, N-dimethylamino)acrylate DMAE
- 47 N, N-dimethylethanolamine
- 48 N, N-Dimethyl Butylamine
- 49 N, N-dimethyl-p-bromoaniline (p-bromo-N, N-dimethylaniline)
- 50 N, N-dimethyl-o-phenylenediamine
- 51 N, N-Dimethylaniline sulfate
- 52 N, N-DIMETHYL-M-TOLUIDINE
- 53 N-Methyldiphenylamine
- 54 n, n-dimethyl-2-bromoaniline

- 55 N, N-DIMETHYL-3-BROMOANILINE
- 56 N-METHYL-O-TOLUIDINE
- 57 N-PHENYL-P-TOLUIDINE
- 58 N-Methyl-o-chloroaniline
- 59 N-ISOPROPYLANILINE
- 60 N-METHYL-P-TOLUIDINE
- 61 N-Methylbenzene-1, 2-diamine
- 62 N, N-DIHYDRÓXYETHYL-P-TOLUIDINE
- 63 N, N-DIMETHYL-P-BROMOANILINE
- 64 N-METHYL-2-NITROANILINE
- 65 m-N, N-Diethylaminophenol
- 66 N-METHYL-O-ANISIDINE
- 67 N, N-Diethyl-4-bromoaniline
- 68 3-(N, N-DIETHYL) AMINO-4-METHOXY ACETANILIDE
- 69 N1-METHYL-3, 4-DICHLOROANILINE
- 70 N, N-Dimethyl-1, 4-phenylenediamine
- 71 N-Methylformanilide
- 72 N, N-Dimethylbenzylamine



- 74 N, N, 3, 5-TETRAMETHYLANILINE
- 75 N-(2-Aminoethyl)-4-morpholinecarboxamide ethanedioate
- 76 N-Ethyl-2-Nitro-Benzenamine
- 77 N-NITROSO-DIPHENYLAMINE
- 78 N, N-Dibutylaniline
- 79 N, N-trimethylsilane-4-bromoaniline
- 80 Chloroacetone

Above Mainly deal with 80 chemical products.




- 1) Beta naphthol 135-19-3
- 2) Auramine 0 2465-27-2
- 3) Crystal violet lactone CVL 1552-42-7
- 4) o-Phenylenediamine 95-54-5
- 5) o-Toluidine OT 95-53-4
- 6) 3-Methyl-N, N-diethyl aniline 91-67-8
- 7) N, N-Diethyl aniline 91-66-7
- 8) N-Ethylaniline 103-69-5
- 18

Advantage Products.

- 9) N-Ethyl-o-toluidine 94-68-8
- 10) N, N-Dimethylaniline DMA 121-69-7
- 11) N, N-Dimethyl-p-toluidine DMPT 99-97-8
- 12) N, N-Dimethyl-o-toluidine DMOT 609-72-3
- 13) 2, 3-Dichlorobenzaldehyde 6334-18-5
- 14) 2', 4'-Dichloroacetophenone 2234-16-4
- 15) 2, 4-Dichlorobenzyl alcohol 1777-82-8
- 16) 3, 4'-Dichlorodiphenyl ether 6842-62-2
- 17) 2-chloro-4-(4-chlorophenoxy) acetophenone 119851-28-4
- 18) 2, 4-dichlorotoluene 95-73-8



1) Beta naphthol



APPEARANCE


White shiny crushed powder or white powder.




C10H80

APPLICATION

Used in the preparation of Tobias acid, J acid, 2.3acid, and used in the preparation of anti-aging agent D, anti-aging agent DNP and its anti-aging agent, organic pigment and fungicide.



ltem	Specifications
Purity (Beta Naphthol as content)	≥99%
1-naphthol	≤0.30%
Naphthalene	≤0.40%
Moisture	≤0.10%








MF


C17H22N3C1

APPLICATION

Mainly used for dyeing fiber acetate and cotton fabrics, and also used for coloring paper, leather, paint, etc.




Item	Specifications
Purity	≥99.5%
Strength	200% 210%
Melting point	>250 °C (dec.)(lit.)
PH	6-7 (10g/l, H2O, 20°C)





3) Crystal violet lactone CVL




White powder

MF C26H29N3O2

APPLICATION

It is an important functional dye for the production of pressuresensitive materials.




ltem	Specifications
Assay	≥99.0%
Melting point	180-183°C
Boiling point	534.12°C (rough estimate)
Density	1.1424 (rough estimate)
Refractive index	1.7120 (estimate)
Water Solubility	<0.1 g/100 mL at 22.5 °C




4) o-Phenylenediamine



As pesticide intermediates, dye intermediates.



Item	Specifications
O-phenylenediamine's content	≥99.0%
Content of o-chloroaniline	≤1.0%
Content of o-nitroaniline	≤0.1%
Purity	≥99%





5) o-Toluidine OT

CAS 95-53-4

APPEARANCE

Light yellow flammable liquid, it turns reddish brown when exposed to air and sunlight.



APPLICATION

Used as dye, pesticide, medicine and organic synthesis intermediate.

Item	Specifications	
Assay	99% min	
Low boiling substance	0.10% max	
Aniline	0.2% max	
p-Toluidine	0.1% max	
m-Toluidine	0.4% max	
Water	0.3% max	
High boiling point substances	0.3% max	




6) 3-Methyl-N, N-diethyl aniline




MF C11H17N

APPLICATION

Dye intermediates. It is used to produce weak acid brilliant blue BA and other dyes. It can also be used to synthesize positive film CD-2 for color development.



Item	Specifications
Assay	≥99%
Moisture	<0.04%
Heavy Metals	<0.002%
Boiling point	97 °C (17 mmHg)





7) N, N-Diethyl aniline




MF


(C2H5) 2NC6H5

APPLICATION

Used in dye intermediates, latex accelerators, pharmaceuticals, pesticides, etc.



Item	Specifications
Assay	≥99%
Molecular weight	149.23
Melting point	-38°C
Boiling point	215-217°C at 760 mmHg
Relative density	0.938g/cm3





8) N-Ethylaniline




APPEARANCE

White shiny crushed powder or white powder.



APPLICATION

Used as pesticide and dye intermediates, rubber accelerators, etc.



Item	Specifications
Assay	≥99%
N-ethylaniline	≥ 99.00%
Aniline	≤ 0.40%
N,N-diethylaniline	≤0.40 %
Other & moisture	≤0.20 %




9) N-Ethyl-o-toluidine




MF C9H13N

APPLICATION

Used in dyes, medicine and other organic synthesis A stain used for proteomics research.



Item	Specifications
Assay	≥99.5%
MW	135.21
Melting point	-6.87°C
Boiling point	218 °C
Density	0.938 g/mL at 25 °C





10) N, N-Dimethylaniline DMA




ltem	Specifications
Assay	≥99.5%
N,N-dimethylaniline	≥99.00%
Aniline	≤0.5%
N-methylaniline	≤0.8%
Other & moisture	≤0.6%%


MF C8H11N

APPLICATION

One of the basic raw materials for the production of basic dyes (triphenylmethane dyes, etc.) and basic dyes. The main varieties are basic bright yellow, basic violet 5BN, basic green, basic lake blue, brilliant red 5GN, brilliant Blue etc.

N, N-dimethylaniline is used in the pharmaceutical industry to manufacture cephalosporin V, sulfa-b-methoxine, sulfadimethoxine, fluosporine, etc., and in the perfume industry to manufacture vanillin Wait.







11) N, N-Dimethyl-p-toluidine DMPT




MF C9H13N

APPLICATION

Used to make self-curing dental tray water; glue accelerator, marble glue; production of anchoring agent.

Used in dyes, medicine and other organic synthesis.

Item	Specifications
Identification (By GC)	Conform to the standard
N,N-dimethyl-p-toluidine assay	≥99.00%
p-toluidine assay	≤0.05%
N-methyl-p-toluidine assay	0.70%
Another assay	0.30%





12) N, N-Dimethyl-o-toluidine DMOT



APPEARANCE


Pale yellow oily liquid.




CH3C6H4N (CH3) 2

APPLICATION

Used in organic synthesis Used as an accelerator It can be used as a starting reagent for the synthesis of rosexanthin.





Item	Specifications
Assay	≥ 99%
p-Toluidine	0.2%max
N-METHYL-P-TOLUIDINE	0.4%max
Moisture	0.4%max






13)2, 3-Dichlorobenzaldehyde





ltem	Specifications
Assay	≥ 99%
Loss on drying	≤0.5%
Ignition residue	≤0.5%
Boiling Point	242.9 °C at 760 mmHg





14)2', 4'-Dichloroacetophenone




APPEARANCE

White crystalline solid.




APPLICATION

Used as a pharmaceutical intermediate for the synthesis of ketoconazole drugs.




Item	Specifications
Assay	≥99%
Water	0.50%max
Single impurity	0.20% max
Total Impurity	0.50%
Melting Point	32.0-34Deg.Cent






15)2, 4-Dichlorobenzyl alcohol





Item	Specifications
Assay	≥99%
Melting point	57-60 C (lit.)
2,5-Dichlorobenzyl alcohol	≤0.2%
Solubility	Clear solution
Sulfated ash	≤0.5%





16)3,4'-Dichlorodiphenyl ether



MF


C14H10C1202


APPLICATION

It is an intermediate for the preparation of the fungicide difenoconazole.

Widely used as pharmaceutical and pesticide intermediates.

Item	Specifications
Assay	≥99.0%
Moisture	<0.04%
Heavy Metals	<0.002%
Boiling point	314.9°C at 760 mmHg








MF C12H8C120

APPLICATION


Used as a pesticide and pharmaceutical intermediate, it is an essential intermediate for the synthesis of oxaconazole.

Item	Specifications
Assay	≥99.0%
Loss on drying	NMT0.5%
Residue on ignition	NMT0.1%
Heavy metals	NMT 10ppm





18)2, 4-dichlorotoluene





ltem	Specifications
Assay	≥99.0%
Melting point	-14 °C
Boiling point	200 °C(lit.)
Relative density	1.246 g/mL at 25 °C(lit.)

APPLICATION

1) Used as intermediates of pesticides, dyes, and pharmaceuticals, used in the production of 2,4dichlorobenzaldehyde, drugs such as adipine, buprofen, etc. 2) 2,4-Dichlorotoluene is an intermediate of the bactericide diniconazole and benzylchlorotriazole alcohol, and it is also the raw material for the preparation of 2,4dichlorobenzaldehyde Chemicalbook.

3) Organic synthetic raw materials, used in the pharmaceutical industry for the production of antimalarial drugs, Ardepine, and the synthesis of buprofen. Used in pesticide intermediates to manufacture 2, 4-dichlorobenzyl chloride, 2, 4-dichlorobenzoyl chloride, and 2, 4-dichlorobenzoic acid.









Industry leader strong

As the industry benchmark for supply chain services in the field of chemical products in China, it is fully equipped with a set of precise operation system and has established long-term stable and reliable cooperative relations with many well-known chemical companies and large chemical plants.



High-quality products, high-quality prices

The company pays attention to the process control of product quality, insists on only making "genuine products"; insists on the concept of mutual progress with customers and win-win cooperation. Providing market advantage prices, has won an excellent reputation among many customers.



Professional team, service first

We have rich experience in international trade, professionals in the chemical industry, and a professional sales team with "one-to-one" refined service.

According to your needs, we will provide you with accurate quotation and consulting services in a timely manner, and fully check your purchases.



Efficient logistics and lightning delivery

The company has its own fleet and has signed a number of well-known logistics companies. Provide you with fast, safe and accurate transportation.



Complete variety and sufficient inventory

The company currently operates more than 100 kinds of chemical products, and has barreled, bagged warehouses and liquid storage tanks in Nantong, Shanghai, Lianyungang, Changzhou, Xuzhou, and Inner Mongolia.

Large storage capacity and stable supply.































MIT-IVY INDUSTRY Co., Ltd.



> Athena Fan

Phone/WhatsApp: +86-13805212761

Email:info@mit-ivy.com

> Joyce Zhang

Phone/WhatsApp: +86-18136360528

Email:gm@mit-ivy.com


➤ Kelley Qi


Phone/WhatsApp: +86-5705216150

Email:kelley@mit-ivy.com



♦ MIT-IVY INDUSTRY Co., Ltd. Fine Chemicals Source Manufacturing Plant ♦ http://www.mit-ivy.com





MIT -IVY Industry Co., Ltd

