## www.mit-ivy.com



Version 6.4
Revision Date 05.10.2019
Print Date 07.07.2020
GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Sodium nitrite

Product Number:m i t -

i v y S2252 Brand : Mit-ivy Index-No. : 007-010-00-4

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the

annual tonnage does not require a registration or the

registration is envisaged for a later registration deadline.

CAS-No.: 7632-00-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

Company: Mit-ivy Industry co., ltd

Telephone: +0086 1380 0521 2761

Fax: +0086 0516 8376 9139

## 1.4 Emergency telephone number

Emergency Phone #: +0086 1380 0521 2761

+0086 0516 8376 9139

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 3), H272 Acute toxicity, Oral

(Category 3), H301

Eye irritation (Category 2), H319

Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

Mit-ivy- S2252 Page 1 of 9

The life science business of Merck operates as MilliporeSigma in

the US and Canada



#### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

none

Statements

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula: NNaO2

Molecular weight : 69,00 g/mol

CAS-No. : 7632-00-0 EC-No. : 231-555-9

Component Classification Concentration  Sodium nitrite	,	
Codium nitrito	r i	
	Ox. Sol. 3; Acute Tox. 3; Eye Irrit. 2; Aquatic Acute 1; H272, H301, H319, H400 M-Factor - Aquatic Acute:	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.



#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder Dry sand

#### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx), Sodium oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas.

Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.



## 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

hygroscopic

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Components with workplace control parameters** 

## 8.2 Exposure controls

## **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

#### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU)

2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Mit-ivy- S2252 Page 4 of 9

The life science business of Merck operates as MilliporeSigma in



Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: white b) Odour odourless

- c) Odour Threshold No data available
- d) pH 9 at 100 g/l at 20 °C

e) Melting Melting point/range: 271 °C - lit.

point/freezing point

f) Initial boiling point 320 °C - (decomposition) and boiling range

- g) Flash point Not applicable
- h) Evaporation rate No data available

i) Flammability (solid, No data available gas)

j) Upper/lower No data available flammability or explosive limits

Mit-ivy- S2252 Page 5 of 9



k) Vapour pressure No data available

- I) Vapour density No data available
- m) Relative density 2,1 g/cm3 at 20 °C
- n) Water solubility 820 g/l at 20 °C

o) Partition coefficient: No data available

n-octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available temperature

- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 3.

## 9.2 Other safety information

Bulk density 1.200 kg/m3

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Exposure to moisture

## 10.5 Incompatible materials

Acids, Powdered metals, Ammonia, Cyanides, Amines, Activated carbon

## 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Sodium oxides

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 180 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - 4 h - 5,5 mg/l

Remarks: (RTECS)

Mit-ivy- S2252 Page 6 of 9

the US and Canada

The life science business of Merck operates as MilliporeSigma in



Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating (OECD Test Guideline 405)

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity

Carcinogenicity - Did not show carcinogenic effects in animal experiments. (IUCLID)

IARC: 2A - Group 2A: Probably carcinogenic to humans (Sodium nitrite)

Reproductive toxicity

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

**Aspiration hazard** 

**Additional Information** 

RTECS: RA1225000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Headache, Nausea, Incoordination., Absorption into the body leads to the formation of

methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2

to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,54

- 26,3 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia and other aquatic

static test - Daphnia magna (Water flea) - 15,4 mg/l - 48 h

(OECD Test Guideline 202)

invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - > 100

mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 510 mg/l - 3 h

(OECD Test Guideline 209)





#### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

#### 12.4 Mobility in soil

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life.

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

## **Contaminated packaging**

Dispose of as unused product.

## **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1500 IMDG: 1500 IATA: 1500

#### 14.2 UN proper shipping name

ADR/RID: SODIUM NITRITE IMDG: SODIUM NITRITE IATA: Sodium nitrite

## 14.3 Transport hazard class(es)

ADR/RID: 5.1 (6.1) IMDG: 5.1 (6.1) IATA: 5.1 (6.1)

#### 14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

## **14.5 Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

## 14.6 Special precautions for user

No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the

#### substance or mixture

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Mit-ivy- S2252 Page 8 of 9



#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

- H272 May intensify fire; oxidizer.
- H301 Toxic if swallowed.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.

#### **Further information**

Copyright 2018 Mit-ivy Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Mit-ivy Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact Email: info@mit-ivy.com.

