




MIT-IVY

## Technical Data Sheet

# PRIME C 1/7

## Concentrated Primer



### Description

Acrylic copolymer based concentrated primer with high penetration and adherence.

### Application Areas

- Plaster
- Limewhite
- Concrete surface
- Old plastic painted surface
- Gas concrete and/or super absorber surface

### Feature and Benefits

- Water based.
- High penetration ability.
- Creates a binding bridge between paint and surface.
- Maximizes adhesion of paint on the surface.
- Decreases the absorbency of the surface it is applied.
- Increase leveling, prevent color differences between coats.
- Reduces the consumption of paint.
- Odorless.
- Environmental friendly.

### Technical Information

Content	Acrylic emulsion
Appearance	Liquid
Particle Size	Class S1
Solid Content	10±1 %
Thinning	Water
Consumption	0,015 – 0,025 L / m <sup>2</sup>
Recommended Coat	1 coat
Application Tools	Roller / Brush



# PRIME C 1/7

## Concentrated Primer

Drying Time	2 hours to touch 4 hours to topcoat
-------------	--

### Preparation of substrate

Application surface should be solid, clean, dry and in a sound condition. It should be clean off the dust after sanding the plaster and the similar surfaces.

### Application

**PRIME C 1/7** Concentrated Primer should be diluted with water in the ratio of 1/7 (1 cup of primer is thinned with 7 cups of water), then applied on the surface with using brush or roller. After applied the primer, minimum 4 hours should be waited for topcoat. Do not the use the primer for isolation purpose and/or on the solvent based topcoat/primer.

### Packaging

15 L / 2,5 L plastic bucket

### Shelf Life

24 months in original, unopened package



### Storage

Store in dry area between +5°C and +35°C. Protect from heat, freezing and direct sunlight.

### Cleanup Information

Clean tools and equipment with water immediately after use. Dried material can only be removed mechanically.

### Cautions / Limitations

-  Do not apply in freezing conditions or during precipitation.
-  Protect applied materials from rain, freezing, foot traffic and continuous high humidity until completely dry.



MIT-IVY

Technical Data Sheet

# PRIME C 1/7

## Concentrated Primer

 Do not use when air and surface temperatures are below 0°C and above +35°C.

### Health and Safety

**Warning!** Cause eye and skin irritation. If eye contact, flush eyes with water for several minutes and remove contacts if present and easy to do. Get immediate medical attention. If skin contact; wash skin with plenty of soap and water. Get immediate medical attention. If swallowed, do not induce vomiting. Call a physician or poison control center. Never give anything by mouth to an unconscious person.

Wash hands thoroughly after handling. Wear protective clothing, gloves, eye and face protection. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Dispose of unused, contents, container and other contaminated wastes in accordance with local, state, federal and provincial regulations.

Keep container closed when not in use. Keep out of the reach of children.

**Limited Warranty:** This product is subject to a written limited warranty which can be obtained free of charge from BAUMERK Company. Please contact with technical service department for further information and support.

**MIT-IVY INDUSTRY CO.,LTD**

Chemical Industry Park, 69 Guozhuang Road, Yunlong District, Xuzhou City, Jiangsu Province, China 221100

TEL: 0086-13805212761 FAX:0086-0516-83769139

<https://www.mit-ivy.com>